


inédit

LIGHTING

boomer line

design by jos muller

boomer line 1200



lamp type	LED
colour temp.	2700K/3000K
max. watt	24W
voltage	230V
lumen	1400
class	1
gear	incorporated
length	1200 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H7DWL
black	T86H7DZL

order code 3000K

white	T86H8DWL
black	T86H8DZL

boomer line 1200 dim



lamp type	LED
colour temp.	2700K/3000K
max. watt	24W
voltage	230V
lumen	1400
class	1
gear	incorporated (DIM 0-10V)
length	1200 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H7DWLD
black	T86H7DZLD

order code 3000K

white	T86H8DWLD
black	T86H8DZLD

boomer line 1200 without base & driver



lamp type	LED
colour temp.	2700K/3000K
max. watt	24W
voltage	230V
lumen	1400
class	2
gear	not incorporated
length	1200 mm
width	25 mm
height	25 (max 2500) mm

order code 2700K

white	T86H15DWL
black	T86H15DZL


order code 3000K

white	T86H24DWL
black	T86H24DZL

inédit

LIGHTING

boomer line UP 1200



lamp type	LED
colour temp.	2700K/3000K
max. watt	24W
voltage	230V
lumen	1400
class	1
gear	incorporated
length	1200 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H16DWL
black	T86H16DZL

order code 3000K

white	T86H17DWL
black	T86H17DZL

boomer line UP 1200 dim



lamp type	LED
colour temp.	2700K/3000K
max. watt	24W
voltage	230V
lumen	1400
class	1
gear	incorporated (DIM 0-10V)
length	1200 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H16DWLD
black	T86H16DZLD

order code 3000K

white	T86H17DWLD
black	T86H17DZLD

boomer line UP 1200 without base & driver



lamp type	LED
colour temp.	2700K/3000K
max. watt	24W
voltage	24V
lumen	1400
class	2
gear	not incorporated
length	1200 mm
width	25 mm
height	25 (max 2500) mm

order code 2700K

white	T86H22DWL
black	T86H22DZL


order code 3000K

white	T86H31DWL
black	T86H31DZL

inédit

LIGHTING

boomer line 1800



lamp type	LED
colour temp.	2700K/3000K
max. watt	36W
voltage	230V
lumen	1920
class	1
gear	incorporated
length	1800 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H9DWL
black	T86H9DZL

order code 3000K

white	T86H10DWL
black	T86H10DZL

boomer line 1800 dim



lamp type	LED
colour temp.	2700K/3000K
max. watt	36W
voltage	230V
lumen	1920
class	1
gear	incorporated (DIM 0-10V)
length	1800 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H9DWLD
black	T86H9DZLD

order code 3000K

white	T86H10DWLD
black	T86H10DZLD

boomer line UP 1800



lamp type	LED
colour temp.	2700K/3000K
max. watt	36W
voltage	230V
lumen	1920
class	1
gear	incorporated
length	1800 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H18DWL
black	T86H18DZL

order code 3000K

white	T86H19DWL
black	T86H19DZL

boomer line UP 1800 dim



lamp type	LED
colour temp.	2700K/3000K
max. watt	36W
voltage	230V
lumen	1920
class	1
gear	incorporated (DIM 0-10V)
length	1800 mm
width	25 mm
height	25 (max 2500) mm

order code 2700K

white	T86H18DWLD
black	T86H18DZLD

order code 3000K


white	T86H19DWLD
black	T86H19DZLD

project boomer line (by moon lighting)

inédit

LIGHTING

boomer line 1800 without base & driver



lamp type	LED
colour temp.	2700K/3000K
max. watt	36W
voltage	24V
lumen	1920
class	2
gear	not incorporated
length	1800 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H14DWL
black	T86H14DZL

order code 3000K

white	T86H25DWL
black	T86H25DZL

boomer line UP 1800 without base & driver



lamp type	LED
colour temp.	2700K/3000K
max. watt	36W
voltage	24V
lumen	1920
class	2
gear	not incorporated
length	1800 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H23DWL
black	T86H23DZL

order code 3000K

white	T86H32DWL
black	T86H32DZL

boomer line 2400



lamp type	LED
colour temp.	2700K/3000K
max. watt	48W
voltage	230V
lumen	2680
class	1
gear	incorporated
length	2400 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H11DWL
black	T86H11DZL

order code 3000K

white	T86H12DWL
black	T86H12DZL

boomer line 2400 dim



lamp type	LED
colour temp.	2700K/3000K
max. watt	48W
voltage	230V
lumen	2680
class	1
gear	incorporated (DIM 0-10V)
length	2400 mm
width	25 mm
height	25 (max 2500) mm

order code 2700K

white	T86H11DWLD
black	T86H11DZLD

order code 3000K

white	T86H12DWLD
black	T86H12DZLD

boomer line UP 2400



lamp type	LED
colour temp.	2700K/3000K
max. watt	48W
voltage	230V
lumen	2680
class	1
gear	incorporated
length	2400 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H20DWL
black	T86H20DZL

order code 3000K

white	T86H21DWL
black	T86H21DZL

boomer line UP 2400 dim



lamp type	LED
colour temp.	2700K/3000K
max. watt	48W
voltage	230V
lumen	2680
class	1
gear	incorporated (DIM 0-10V)
length	2400 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H20DWLD
black	T86H20DZLD

order code 3000K

white	T86H21DWLD
black	T86H21DZLD

boomer line 2400 without base & driver



lamp type	LED
colour temp.	2700K/3000K
max. watt	48W
voltage	24V
lumen	2680
class	2
gear	not incorporated
length	2400 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H28DWL
black	T86H28DZL

order code 3000K

white	T86H27DWL
black	T86H27DZL

boomer line UP 2400 without base & driver



lamp type	LED
colour temp.	2700K/3000K
max. watt	48W
voltage	24V
lumen	2680
class	2
gear	not incorporated
length	2400 mm
width	25 mm
height	25 (max 2500) mm

order code 2700K

white	T86H26DWL
black	T86H26DZL

order code 3000K

white	T86H33DWL
black	T86H33DZL