

Cir Anto Pen





# Approximate weight (unpacked):

(A) 5 Circular\*: 3 m: 7 Kg / 15.5 lb 8 m: 8 Kg / 17.6 lb

(B) 7 Circular\*: 3 m: 9 Kg / 19.8 lb 8 m: 10 Kg / 22 lb

(C) 9 Circular\*: 3 m: 12 Kg / 26.5 lb 8 m: 14 Kg / 30.9 lb

(D) 12 Rectangular\*: 3 m: 18 Kg / 39.7 lb

Lampshades: Porcelain: 0,5 kg / 1.1 lb Glass: 0,6 kg / 1.3 lb Brass: 0,3 Kg / 0.7 lb



LIGHTING





**Technical information:** 

Light source included: LED module

Rated input wattage (LED capsule): 7,7 W Operating current: 700 mA Colour Temp.: 2.700 K CRI: 90 Lifetime: 40.000 h

(A)

Rated input wattage: 46,1 W Luminous flux: Porcelain 1.110 Im



(C) Rated input wattage: 83 W Luminous flux: Porcelain 1.998 Im Glass 5.895 Im

(D)

Rated input wattage: 110 W Luminous flux: Porcelain 2.664 lm Glass 7.860 lm Brass 2.844 lm


Built-in LED.

Brass 2.133 Im


Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V). Energy efficiency class (E.E.C):  $A^{++}...A$ . Suitable only for indoor use.

Input voltage: 120 ~ 277 Vac. (50 Hz / 60 Hz). According to destination.

### White opal glass lampshade



#### **Brass lampshade**






Cir SANTA & COLE

# Regulations:


CE UNE-EN 60598 UNE-EN 55015 UNE-EN 62031 UNE-EN 61000-3-2 UNE-EN 60529 UNE-EN 61347-2-13

UL Dry and damp location UL-1598 UL-8750 E-336377









## Collection: Pendant lamps



Cirio Simple



Cirio Múltiple











Cirio Chandelier