

inédit

LIGHTING

Name **ESSEX-C**
Number **N094**
Collection **NAUTIC**

TEKNA


General

Location	Indoor/outdoor
Main material	Brass/glass
IP rating	IP 44
Class	I
Bathroom zone	Zone 3
Voltage	220-240V
Driver Required	No
Cable length (m)	0,15
Dimensions (mm/ W-H-D)	W216mm - H357mm - D140mm
Mounting method	Wall bracket
Brut weight (kg)	2,5Kg
Gross weight (kg)	3,3Kg
Packing (mm / W-H-D)	420-200-410
Energy Efficiency %	0,78




Lamp

Lamp	Included
Light source	Caret squirrel cage
Number of light sources	1
Socket Type	E27
Bulb shape	ST64
Max Lamp Length	165 mm
power consumption	7,7W
Luminous Flux	350lm
Colour Temp	2300K
CRI	>80
Lifetime	25000hrs.
Beam angle	360°



Electrical

Switched	No
Battery	No
Dimmable	Yes
Dimming Range	See dimming list
Dimming method	Phase dimming
Supply Frequency	50/60Hz
Driver/Ballast Voltage	220-240V
Efficacy	A



Finishes

	Lacquered Jet Black
	Lacquered Kenia Red
	Lacquered Orange Rust
	Lacquered Maize
	Lacquered Bottle Green
	Lacquered Chinese Turquoise
	Lacquered Royal Blue
	Lacquered French Grey



Name **ESSEX-C**
Number **N094**
Collection **NAUTIC**

TEKNA


General

Location	Indoor/outdoor
Main material	Brass/glass
IP rating	IP 44
Class	I
Bathroom zone	Zone 3
Voltage	220-240V
Driver Required	No
Cable length (m)	0,15
Dimenstions (mm/ W-H-D)	W216mm - H357mm - D140mm
Mounting method	Wall bracket
Brut weight (kg)	2,5Kg
Gross weight (kg)	3,3Kg
Packing (mm / W-H-D)	420-200-410
Energy Efficiency %	0,78



Lamp

	Included
Light source	Caret squirrel cage
Number of light sources	1
Soket Type	E27
Bulb shape	ST64
Max Lamp Length	165 mm
power consumption	7,7W
Luminous Flux	350lm
Colour Temp	2300K
CRI	>80
Lifetime	25000hrs.
Beam angle	360°




Electrical

Swiched	No
Battery	No
Dimmible	Yes
Dimming Range	See dimming list
Dimming method	Phase dimming
Supply Frequency	50/60Hz
Driver/Ballast Voltage	220-240V
Efficacy	A

Finishes

- Lacquered Jet Black
- Lacquered Kenia Red
- Lacquered Orange Rust
- Lacquered Maize
- Lacquered Bottle Green
- Lacquered Chinese Turquoise
- Lacquered Royal Blue
- Lacquered French Grey



inédit

LIGHTING

TEKNA

Name **ESSEX CITY-C**
Number **N094**
Collection **NAUTIC**

General

Location	Indoor/Outdoor
Main material	Brass/glass
IP rating	IP44
Class	.
Bathroom zone	Zone 3
Voltage	230V
Driver Required	No
Cable length (m)	.
Dimenstions (mm/ W-H-D)	307-375-169
Mounting method	Wall mounted
Brut weight (kg)	.
Gross weight (kg)	.
Packing (mm / W-H-D)	.
Energy Efficiency %	A

Lamp



Light source	Included
Number of light sources	Caret squirrel cage
Soket Type	2
Bulb shape	E27
Max Lamp Length	ST64
power consumption	165 mm
Luminous Flux	7,7W
Colour Temp	350lm
CRI	2300K
Lifetime	>80
Beam angle	25000hrs.
	360°


Electrical

Swiched	No
Battery	No
Dimmible	Yes
Dimming Range	See dimming list
Dimming method	Phase dimming
Supply Frequency	50/60Hz
Driver/Ballast Voltage	220-240V
Efficacy	A

Finishes

Dark Bronze





Name **ESSEX SMALL**
Number **N097**
Collection **NAUTIC**

TEKNA

General

Location Indoor/Outdoor
Main material Brass/glass
IP rating IP44
Class .
Bathroom zone Zone 3
Voltage 230V
Driver Required No
Cable length (m) .
Dimenstions (mm/ W-H-D) 201-286-119
Mounting method Wall mounted
Brut weight (kg) .
Gross weight (kg) .
Packing (mm / W-H-D) .
Energy Efficiency % A++



Lamp

Light source Bulb
Number of light sources 1
Soket Type E27
Bulb shape A60
Max Lamp Length 110mm
power consumption 4W
Luminous Flux 470lm
Colour Temp 2700K
CRI 80
Lifetime 15000
Beam angle 360°

Electrical

Swiched No
Battery No
Dimmible No
Dimming Range .
Dimming method .
Supply Frequency 50Hz
Driver/Ballast Voltage .
Efficacy A++

Finishes

- Dark Bronze
- Polished Chrome Plated Brass
- Brushed Nickel Plated Brass
- Brushed Chrome Plated Brass
- Polished Nickel Plated Brass

