



GWEILO HAN GR
by Partisans, 2016



Floor lamp. Hand-moulded, transparent acrylic structure. Led strip embedded in the gold anodised extruded aluminium profile. Dimmer placed in the electrical cord.

Type: Floor lamp

Environment: Indoor

Structure: Acrylic


Voltage: 230 V

Dimmer: Included

Supply: Electrical cord with plug


Cable length: 200 cm

Light source: LED strip 14W 3000K 1015Lm



GWEILO HAN GR

312000600019 **transparent acrylic**

 **10 kg**
13 kg

CE  **IP-20**



GWEILO HAN PE
by Partisans, 2016



Floor lamp. Hand-moulded, transparent acrylic structure. Led strip embedded in the gold anodised extruded aluminium profile. Dimmer placed in the electrical cord.

Type: Floor lamp

Environment: Indoor

Structure: Acrylic

Voltage: 230 V

Dimmer: Included


Supply: Electrical cord with plug

Cable length: 200 cm

Light source: LED strip 11W 3000K 805Lm

GWEILO HAN PE

311000600019 transparent acrylic  5 kg
7 kg





GWEILO QIN GR
by Partisans, 2016



Floor lamp. Hand-moulded, transparent acrylic structure. Led strip embedded in the gold anodised extruded aluminium profile. Dimmer placed in the electrical cord.

Type: Floor lamp

Environment: Indoor

Structure: Acrylic

Voltage: 230 V

Dimmer: Included

Supply: Electrical cord with plug

Cable length: 200 cm

Light source: LED strip 14W 3000K 1015Lm

GWEILO QIN GR

318000600019 transparent acrylic  10 kg
13 kg





GWEILO QIN PE
by Partisans, 2016



Floor lamp. Hand-moulded, transparent acrylic structure. Led strip embedded in the gold anodised extruded aluminium profile. Dimmer placed in the electrical cord.

Type: Floor lamp

Environment: Indoor

Structure: Acrylic

Voltage: 230 V

Dimmer: Included

Supply: Electrical cord with plug

Cable length: 200 cm

Light source: LED strip 11W 3000K 805Lm

GWEILO QIN PE

319000600019 transparent acrylic  5 kg
7 kg

